

12-2-2003

## Ex. 281-US-409

Roger Smith  
*Oregon Department of Fish and Wildlife*

William Tinniswood  
*Oregon Department of Fish and Wildlife*

Terry Smith  
*Oregon Department of Fish and Wildlife*

Follow this and additional works at: <https://digitalcommons.law.uidaho.edu/klamath>

---

### Recommended Citation

Smith, Roger; Tinniswood, William; and Smith, Terry, "Ex. 281-US-409" (2003). *In re Klamath River (Klamath Tribe)*. 226.  
<https://digitalcommons.law.uidaho.edu/klamath/226>

This Expert Report is brought to you for free and open access by the Hedden-Nicely at Digital Commons @ UIdaho Law. It has been accepted for inclusion in In re Klamath River (Klamath Tribe) by an authorized administrator of Digital Commons @ UIdaho Law. For more information, please contact [annablaine@uidaho.edu](mailto:annablaine@uidaho.edu).

## Wood R - Non-Anadromous Species

Timing Unit ID: 10452

Life Stage/Activity/Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Comments
<b>Adult Fluvial or Adfluvial Migration</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult Spawning</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult/Sub-Adult Rearing</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Egg Incubation through Fry Emergence</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile Rearing</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile/Sub-Adult Migration</b>													
Shortnose Sucker													
Lost River Sucker													
Redband (migratory)													
Brown Trout													
Brook Trout													

Represents periods of peak use based on professional opinion.  
 Represents lesser level of use based on professional opinion.  
 Represents periods of presence, either with no level of use OR uniformly distributed level of use indicated

Peak and lesser use time periods were designated during data compilation, but no percentages were assigned to the different levels of use, therefore a 90 / 10 split was assumed as it was the most common ratio used by data providers.

90% of the life-stage activity occurs during the time frame shown as the peak use period.  
 10% of the life-stage activity occurs during the time frame shown as the lesser use period.

This document was created on 12/2/2003.

Input to this data was contributed by  
 Roger Smith, ODFW  
 William Tinniswood, ODFW  
 Terry Smith, USFS

## Crooked Cr - Non-Anadromous Species

Timing Unit ID: 10406

Life Stage/Activity/Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Comments
<b>Adult Fluvial or Adfluvial Migration</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult Spawning</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult/Sub-Adult Rearing</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Egg Incubation through Fry Emergence</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile Rearing</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile/Sub-Adult Migration</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													

Represents periods of peak use based on professional opinion.  
 Represents lesser level of use based on professional opinion.  
 Represents periods of presence, either with no level of use OR uniformly distributed level of use indicated

Peak and lesser use time periods were designated during data compilation, but no percentages were assigned to the different levels of use, therefore a 90 / 10 split was assumed as it was the most common ratio used by data providers.

90% of the life-stage activity occurs during the time frame shown as the peak use period.  
 10% of the life-stage activity occurs during the time frame shown as the lesser use period.

This document was created on 12/2/2003.

Input to this data was contributed by

- Roger Smith, ODFW
- William Tinniswood, ODFW
- Terry Smith, USFS

## Fort Cr - Non-Anadromous Species

Timing Unit ID: 10415

Life Stage/Activity/Species	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Comments
<b>Adult Fluvial or Adfluvial Migration</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult Spawning</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Adult/Sub-Adult Rearing</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Egg Incubation through Fry Emergence</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile Rearing</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													
<b>Juvenile/Sub-Adult Migration</b>													
Redband (migratory)													
Brown Trout													
Brook Trout													

Represents periods of peak use based on professional opinion.

Represents lesser level of use based on professional opinion.

Represents periods of presence, either with no level of use OR uniformly distributed level of use indicated

Peak and lesser use time periods were designated during data compilation, but no percentages were assigned to the different levels of use, therefore a 90 / 10 split was assumed as it was the most common ratio used by data providers.

90% of the life-stage activity occurs during the time frame shown as the peak use period.

10% of the life-stage activity occurs during the time frame shown as the lesser use period.

This document was created on 12/2/2003.

Input to this data was contributed by

Roger Smith, ODFW

William Tinniswood, ODFW

Terry Smith, USFS