

12-8-2009

Ex. 279-US-446

Unknown

Follow this and additional works at: <https://digitalcommons.law.uidaho.edu/all>

Recommended Citation

Unknown, "Ex. 279-US-446" (2009). *Hedden-Nicely Collection, All*. 433.
<https://digitalcommons.law.uidaho.edu/all/433>

This Expert Report is brought to you for free and open access by the Hedden-Nicely at Digital Commons @ UIdaho Law. It has been accepted for inclusion in Hedden-Nicely Collection, All by an authorized administrator of Digital Commons @ UIdaho Law. For more information, please contact annablaine@uidaho.edu.

Stream: Sycan River
Site: SY-9 (Callhan Cr.)
Date: #####
Habitat: Run **Flow:** Low

(1) Level Loop Survey (BM & HP)

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	4.13	104.13		
HP1			5.88	98.25
HP2			6.26	97.87
HP3			5.25	98.88
TP				
HP3	5.15	104.03		
HP2			6.16	97.87
HP1			5.78	98.25
BM			4.03	100.00

Comment:

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWE RWE	4.8	104.03	7.38 7.40	0.00 0.00	96.65 96.63	96.64	0.9
TR2	LWE RWE	9.6	104.03	7.33 7.39	0.00 0.00	96.70 96.64	96.67	1.2
TR3	LWE RWE	19.2	104.76	7.98 8.02	0.00 0.00	96.78 96.74	96.76	1.3

Note: WSE slope= 0.83%
 Ave Q= 1.1

Date: 5/9/1991
Habitat: Run **Flow:** Mid

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	3.37	103.37		
HP3			4.51	98.86
HP2			5.53	97.84
HP1			5.15	98.22
TP				
HP1	5.14	103.36		
HP2			5.52	97.84
HP3			4.5	98.86
BM			3.36	100.00

Comment:

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWE RWE	4.8	103.36	6.40 6.41	0.00 0.00	96.96 96.95	96.96	5.3
TR2	LWE RWE	9.6	103.36	6.35 6.37	0.00 0.00	97.01 96.99	97.00	4.3
TR3	LWE RWE	19.2	103.36	6.27 6.33	0.00 0.00	97.09 97.03	97.06	3.7

Note: WSE slope= 0.73%
 Ave Q= 4.4

Date: #####
Habitat: Run **Flow:** High

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	4.12	104.12		
HP3			5.27	98.85
HP2			6.28	97.84
HP1			5.90	98.22
TP				
HP1	5.50	103.72		
HP2			5.88	97.84
HP3			4.87	98.85
BM			3.73	99.99


Comment:

(2) Water Surface Elevation (WSE) Survey

	L/R WSE	Sta (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
TR1	LWE RWE	4.8	103.72	6.19 6.25	0.00 0.00	97.53 97.47	97.50	12.7
TR2	LWE RWE	9.6	103.72	6.19 6.24	0.00 0.00	97.53 97.48	97.51	
TR3	LWE RWE	19.2	103.72	6.13 6.13	0.00 0.00	97.59 97.59	97.59	


Note: WSE slope= 0.63%
 Ave Q= 12.7

Stream: Sycan River	21-Sep-90												9-May-91												25-May-93											
	Site: SY-9				Transect: 1				Habitat: Run				Survey HI Q				Date (ft) (cfs)				9/21/1990				5/9/1991				5/25/1993							
	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	V _{0.8}	Ave	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	V _{0.8}	Ave	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	V _{0.8}	Ave	q (cfs)	substrate									
LWP	0.0	6.30	97.73					1.1										1.1																		
	6.0	6.32	97.71					1.1										1.1																		
	13.0	6.71	97.32					1.1										1.1																		
	16.0	6.37	97.66					1.1										1.1																		
	18.0	6.51	97.52					1.1										1.1																		
	25.0	5.99	98.04					1.1										1.1																		
	31.5	5.94	98.09					1.1										1.1																		
	33.0	7.38	96.65	0.00	0.00			2.2										2.2																		
	34.0	96.09	96.34	0.30	0.00			2.2										2.2																		
	35.0	96.09	96.09	0.55	0.00			2.2										2.2																		
	36.0	96.04	96.04	0.60	0.00			2.2										2.2																		
	37.0	96.04	96.04	0.60	0.21			5.4										5.4																		
	38.0	96.14	96.14	0.50	0.91			5.4										5.4																		
	39.0	96.24	96.24	0.40	0.84			4.2										4.2																		
	40.0	96.44	96.44	0.20	0.00			2.3										2.3																		
	41.0	7.40	96.63					2.1										2.1																		
	45.0	7.23	96.80					1.1										1.1																		
	47.0	7.45	96.58					9.2										9.2																		
	49.0	7.00	97.03					2.9										2.9																		
	50.5	6.20	97.83					1.2										1.2																		
	51.5	5.54	98.49					1.2										1.2																		
	55.0	5.32	98.71					2.2										2.2																		
	RWP	59.0	5.08	98.95																																



This is Q-transect for SY-9. Velocity-Depth measurements were not survey at any of the 3 transects.

Stream: Sycan River			21-Sep-90												9-May-91												25-May-93											
Site: SY-9	Transsect: 2	Habitat: Run	Survey	HI	Q (cfs)	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s)		q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s)		q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s)		q (cfs)	substrate									
										V _{0.20.6}	V _{0.8}							V _{0.20.6}	V _{0.8}							V _{0.20.6}	V _{0.8}											
			LWP	0.0	6.56	97.47							1.1																									
				10.0	6.22	97.81							1.1																									
				20	6.10	97.93							1.1																									
				26	5.69	98.34							1.1																									
				31	5.58	98.45							1.1																									
				33	32.5	96.57	0.10	0	0.00	0.00	0.00	0.00	2.2																									
				34		96.17	0.50	0	0.00	0.00	0.00	2.2																										
				35		96.17	0.50	0	0.00	0.00	0.00	2.2																										
				36		96.27	0.40	0.43	0.43	0.17	2.5																											
				37		96.27	0.40	1.61	0.84	0.34	4.5																											
				38		96.27	0.40	0.84	0.28	0.02	4.2																											
				39		96.57	0.10	0.28	0.00	0.00	2.9																											
				44		96.67	0.00	0	0.00	0.00	0.00	2.9																										
				47		6.52	97.51						1.1																									
				48		6.10	97.93						1.1																									
				52		5.46	98.57						1.1																									
				52		5.00	99.03						1.1																									
				52		5.69	4.82	99.21					1.1																									



Sycan River SY_9 05/09/91

RUN											MID	TRANSECT 1
IOC	1101100000001000101000											
QARD	0.5											
QARD	0.8											
QARD	1.1											
QARD	1.5											
QARD	2.0											
QARD	2.5											
QARD	3.0											
QARD	3.5											
QARD	4.0											
QARD	4.4											
QARD	5.0											
QARD	5.5											
QARD	6.0											
QARD	6.5											
QARD	7.0											
QARD	7.5											
QARD	8.0											
QARD	8.5											
QARD	9.0											
QARD	9.5											
QARD	10.0											
QARD	10.5											
QARD	11.0											
QARD	11.5											
QARD	12.0											
QARD	12.7											
QARD	14.0											
QARD	15.0											
QARD	16.0											
QARD	18.0											
XSEC1000.0	0.00	1.0		96.42		0.0073						
1000.0	0.0	97.7	6.0	97.7	13.0	97.3	16.0	97.7	18.0	97.5	25.0	98.0
1000.0	31.5	98.1	32.2	97.0	33.0	96.6	34.0	96.3	35.0	96.2	36.0	96.1
1000.0	37.0	96.0	38.0	96.1	39.0	96.2	40.0	96.3	41.0	96.5	42.0	96.7
1000.0	43.0	96.8	44.0	96.9	45.0	96.9	46.0	96.8	47.0	96.6	48.0	96.5
1000.0	49.8	96.9	50.5	97.8	51.5	98.5	55.0	98.7	59.0	99.0		
NS 1000.0		1.1		1.1		1.1		1.1		1.1		1.1
NS 1000.0		1.1	0.3	2.2	0.3	2.2		2.2	0.4	2.2		2.2
NS 1000.0	0.20	5.4	0.15	5.4		4.2		2.3		2.1		2.1
NS 1000.0	.075	2.1	.085	2.1		1.1	.09	9.2	.15	9.2	.30	2.9
NS 1000.0	.40	2.9	.5	1.2		1.2		1.2		2.2		
WSL 1000.0		96.57		96.60		96.66		96.70		96.76		96.81
WSL 1000.0		96.86		96.90		96.93		96.96		97.01		97.04
WSL 1000.0		97.08		97.12		97.15		97.18		97.21		97.24
WSL 1000.0		97.28		97.30		97.34		97.36		97.39		97.42
WSL 1000.0		97.45		97.48		97.54		97.59		97.63		97.70
CAL11000.0		96.96		4.4								
VEL11000.0	0.00 0.10 0.30 0.10 0.25											
VEL11000.0	0.25	1.10	1.70	1.55	1.10	0.80	0.15	0.00	0.20	0.50	0.20	0.10
VEL11000.0	0.00											
CAL21000.0		96.67		1.1								
VEL21000.0												
VEL21000.0												
VEL21000.0												
CAL31000.0		97.50		12.7								
VEL31000.0												
VEL31000.0												
VEL31000.0												

```

RUN                                MID                                TRANSECT 2
IOC      1101100100001000101000
QARD    0.5
QARD    0.8
QARD    1.1
QARD    1.5
QARD    2.0
QARD    2.5
QARD    3.0
QARD    3.5
QARD    4.0
QARD    4.4
QARD    5.0
QARD    5.5
QARD    6.0
QARD    6.5
QARD    7.0
QARD    7.5
QARD    8.0
QARD    8.5
QARD    9.0
QARD    9.5
QARD   10.0
QARD   10.5
QARD   11.0
QARD   11.5
QARD   12.0
QARD   12.7
QARD   14.0
QARD   15.0
QARD   16.0
QARD   18.0
XSEC1000.0      0.00 1.0      96.20      0.0073
      1000.0  0.0 97.5 10.0 97.8 20.0 97.9 26.0 98.3 31.0 98.5 32.2 96.6
      1000.0 33.0 96.3 34.0 96.3 35.0 96.3 36.0 96.3 37.0 96.2 38.0 96.3
      1000.0 39.0 96.5 40.0 96.8 40.6 97.0 44.0 97.5 47.0 97.9 48.0 98.6
      1000.0 52.0 99.0 56.9 99.2
NS 1000.0      1.1      1.1      1.1      1.1      1.1      2.2
NS 1000.0      2.2 0.4  2.2      2.2      2.5 0.06  5.4 .065  4.5
NS 1000.0 0.08  4.2 0.10  2.9      2.9      1.1      1.1      1.1
NS 1000.0      1.1      1.1
WSL 1000.0      96.62      96.65      96.70      96.74      96.80      96.85
WSL 1000.0      96.90      96.94      96.97      96.99      97.04      97.08
WSL 1000.0      97.11      97.15      97.18      97.22      97.25      97.28
WSL 1000.0      97.31      97.34      97.37      97.39      97.42      97.45
WSL 1000.0      97.48      97.51      97.57      97.61      97.65      97.73
CAL11000.0      97.00      4.4
VEL11000.0      0.00 0.15 0.10 0.55 0.55 2.20 1.75
VEL11000.0 0.45 0.15 0.00
CAL21000.0      96.67      1.1
VEL21000.0
VEL21000.0
CAL31000.0      97.51      12.7
VEL31000.0
VEL31000.0
ENDJ

```

```

RUN                                MID                                TRANSECT 3
IOC      1101100100001000101000
QARD 0.5
QARD 0.8
QARD 1.1
QARD 1.5
QARD 2.0
QARD 2.5
QARD 3.0
QARD 3.5
QARD 4.0
QARD 4.4
QARD 5.0
QARD 5.5
QARD 6.0
QARD 6.5
QARD 7.0
QARD 7.5
QARD 8.0
QARD 8.5
QARD 9.0
QARD 9.5
QARD 10.0
QARD 10.5
QARD 11.0
QARD 11.5
QARD 12.0
QARD 12.7
QARD 14.0
QARD 15.0
QARD 16.0
QARD 18.0
XSEC1000.0      0.00 1.0      96.20      0.0073
1000.0  0.0 98.5 10.0 98.7 20.0 98.8 29.0 98.6 31.0 97.7 32.0 97.3
1000.0 32.2 96.6 33.0 96.3 34.0 96.2 35.0 96.4 36.0 96.6 36.4 96.7
1000.0 36.5 96.6 37.1 97.6 39.0 97.9 41.0 97.8 44.0 98.9 49.0 99.1
1000.0 52.4 99.2
NS 1000.0      1.1      1.1      1.1      1.1 .10 1.1
NS 1000.0 .09 1.1 .10 5.6      5.4 .065 5.4 .060 5.4 0.07 4.3
NS 1000.0 0.08 4.3 .06 2.1 .1 2.1      2.1      2.1      2.1
NS 1000.0      2.1
WSL 1000.0      96.71      96.74      96.79      96.83      96.88      96.93
WSL 1000.0      96.97      97.01      97.04      97.07      97.12      97.15
WSL 1000.0      97.19      97.22      97.26      97.29      97.32      97.35
WSL 1000.0      97.38      97.41      97.44      97.46      97.49      97.52
WSL 1000.0      97.54      97.58      97.64      97.68      97.72      97.79
CAL11000.0      97.06      4.4
VEL11000.0                                0.70 1.00 1.40 1.75 1.45 0.15
VEL11000.0 0.32
CAL21000.0      96.79      1.1
VEL21000.0
VEL21000.0
CAL31000.0      97.59      12.7
VEL31000.0
VEL31000.0
ENDJ

```