

12-4-2009

Ex. 281-US-420

Unknown

Follow this and additional works at: <https://digitalcommons.law.uidaho.edu/all>

Recommended Citation

Unknown, "Ex. 281-US-420" (2009). *Hedden-Nicely Collection, All*. 543.
<https://digitalcommons.law.uidaho.edu/all/543>

This Expert Report is brought to you for free and open access by the Hedden-Nicely at Digital Commons @ UIdaho Law. It has been accepted for inclusion in Hedden-Nicely Collection, All by an authorized administrator of Digital Commons @ UIdaho Law. For more information, please contact annablaine@uidaho.edu.

Stream: Wood River
 Site: WD-2
 Date: 5/14/2004
 Habitat: Pool

Flow: Mid

(1) Level Loop Survey (BM & HP)

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM-P	3.70	103.70		100
HP1			3.53	100.17
HP2			4.02	99.68
HP3			3.97	99.73
TP				
HP3	3.56	103.29		
HP2			3.61	99.68
HP1			3.11	100.18
BM-P			3.28	100.01

Comment:

Date: 6/28/2004
 Habitat: Pool

Flow: High

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM-P	5.10	105.10		100.00
HP1			4.92	100.18
HP2			5.41	99.69
HP3			5.36	99.74
TP				
HP3	5.21	104.95		
HP2			5.26	99.69
HP1			4.76	100.19
BM-P			4.94	100.01

Comment:

Date: 8/17/2004
 Habitat: Pool

Flow: Low

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	5.10	105.10		100.00
HP1			4.92	100.18
HP2			5.42	99.68
HP3			5.37	99.73
TP				
HP3	5.45	105.18		
HP2			5.50	99.68
HP1			5.00	100.18
BM			5.19	99.99

Comment:

(2) Water Surface Elevation (WSE) Survey

TR	Sta L/R bank (ft)	Ave (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
1-L	0	0.00	103.29	6.20	0.00	97.09	97.08	143.5
1-R	0	0	103.29	6.23	0.00	97.06		
2-L	25	34.00	103.29	6.20	0.00	97.09	97.10	153.2
2-R	43	43	103.29	6.19	0.00	97.10		
3-L	43	87.00	103.29	6.88	0.73	97.14	97.15	148.1
3-R	131			6.13	0.00	97.16		

Ave Q= 148.3

Note: WSE 50' BELOW TR1 =97.04; WSE 50' ABOVE TR3=97.23;
 HC-L=97.05, HC-R=97.04; HC Stationing L=3', R=73' d/s of TR 1
 WSE slope = 0.086%

(3) Meter and propeller ID for Velocity Correction

Meter ID: 0068
 Propeller ID: NA

(2) Water Surface Elevation (WSE) Survey

TR	Sta L/R bank (ft)	Ave (ft)	HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
1-L	0	0.00	104.95	8.21	0.62	97.36	97.38	172.9
1-R	0	0	104.95	11.72	4.17	97.40		
2-L	25	34.00	104.95	7.56	0.00	97.39	97.39	174.3
2-R	43	43	104.95	10.20	2.64	97.39		
3-L	43	87.00	104.95	8.64	0.95	97.36	97.43	172.8
3-R	131			11.18	3.72	97.49		

Ave Q= 173.3

Note: WSE 60' DS=97.35; HC RT CHANNEL=97.25; HC RT=97.23;
 HC LT=97.32
 WSE slope = 0.052%

(3) Meter and propeller ID for Velocity Correction

Meter ID: 3602 (TR1)
 Propeller ID: 3A
 Meter ID: 3602 (TR2 and TR31)
 Propeller ID: 2A (See notes)

(2) Water Surface Elevation (WSE) Survey

TR	Sta		HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
	L/R bank (ft)	Ave (ft)						
1-L	0	0.00	105.18	8.08		97.10	97.10	128.3
1-R	0	0	105.18	8.09		97.09		
2-L	25	34.00	105.18	8.40	0.32	97.10	97.11	126.5
2-R	43	43	105.18	8.06		97.12		
3-L	43	87.00	105.18	8.07		97.11	97.14	131.7
3-R	131			8.01		97.17		


Ave Q= 128.8

Note: HC LWSE FS=8.09; RWSE FS=8.18
 WSE slope = 0.052%

(3) Meter and propeller ID for Velocity Correction

Meter ID: 5750
 Propeller ID: 2a

Stream: Wood River	14-May-04						28-Jun-04						17-Aug-04												
	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	Vel (ft/s) V _{0.8}	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	Vel (ft/s) V _{0.8}	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	Vel (ft/s) V _{0.8}	q (cfs)	substrate	
RWP 1.0	6.2	97.08	0.00	0.00	0.00	0.00	0.00	4.0	6.04	98.91	0.00	0.00	0.00	0.00	0.00	1.1	RWE	6.5	97.10	0.00	0.00	0.00	0.00	0.00	0.00
RWE: HI	7.0	93.23	3.85	0.01	0.13	0.11	0.47	3.5	6.66	98.29	0.00	0.00	0.00	0.00	0.00	1.1	RWE	7.0	93.42	3.68	0.05	0.29	0.25	0.90	
Date: HI	8.5	93.33	3.75	0.75	1.16	1.12	6.27	5.7	97.38	97.38	0.00	0.00	0.00	0.00	0.00	2.1	RWE	8.5	93.35	3.75	0.95	1.29	1.17	6.56	
5/14/2004	10.0	93.48	3.60	1.05	1.75	1.62	8.75	6.2	97.28	97.28	0.10	0.46	0.39	0.45	2.07	3.2	RWE	10.0	93.40	3.70	1.18	1.47	1.37	7.61	
6/28/2004	11.5	93.58	3.50	1.55	1.53	1.78	10.91	7.0	93.38	93.38	4.00	1.12	1.63	1.40	8.42	4.3	RWE	11.5	93.60	3.50	1.37	1.41	1.44	8.79	
8/17/2004	13.5	93.23	3.85	1.54	2.14	2.12	16.33	8.5	93.38	93.38	3.90	1.39	1.95	1.70	9.94	4.3	RWE	13.5	93.45	3.65	1.29	1.88	1.62	11.85	
	15.5	93.38	3.70	1.66	2.00	2.11	15.62	11.5	93.63	93.63	3.75	1.83	1.49	1.69	11.08	4.3	RWE	15.5	93.50	3.60	1.61	1.98	1.83	13.17	
	17.5	93.68	3.40	1.69	2.02	2.14	14.54	13.5	93.43	93.43	3.95	1.72	2.36	2.07	16.34	4.3	RWE	17.5	93.80	3.30	1.99	2.20	2.12	14.02	
	19.5	94.38	3.05	1.50	1.95	1.99	12.15	15.5	93.63	93.63	4.00	1.97	2.69	2.36	18.88	4.3	RWE	19.5	94.20	2.90	1.64	2.20	1.95	11.33	
	21.5	94.38	2.70	1.72	1.86	2.07	11.15	17.5	94.13	94.13	3.25	2.24	2.41	2.36	15.31	4.3	RWE	21.5	94.54	2.56	1.59	1.98	1.82	9.32	
	23.5	94.73	2.35	1.80		2.08	9.76	23.5	95.08	95.08	2.30	2.21	2.24	2.41	10.30	3.4	RWE	23.5	94.80	2.30	1.77	1.80	1.82	8.29	
	25.5	95.13	1.95	1.89		2.18	8.50	27.5	95.28	95.28	2.10	2.09	2.12	8.90	3.4	RWE	27.5	95.03	2.07	1.78	1.81	1.79	7.50		
	27.5	95.43	1.65	1.93		2.22	7.34	29.5	95.33	95.33	2.05	2.03	2.06	8.44	3.4	RWE	29.5	95.26	1.84	1.95	1.98	1.98	7.29		
	29.5	95.63	1.45	1.91		2.20	6.38	31.5	95.53	95.53	1.85	2.09	2.12	7.84	3.4	RWE	31.5	95.40	1.70	1.82	1.85	1.85	6.29		
	31.5	95.58	1.50	1.86		2.14	6.43	33.5	95.98	95.98	1.40	1.34	1.37	2.87	3.1	RWE	33.5	95.47	1.63	1.76	1.79	1.79	5.84		
	33.5	95.83	1.25	1.36		1.58	2.96	34.5	96.28	96.28	1.10	1.65	1.68	1.85	3.1	RWE	34.5	95.72	1.38	1.57	1.61	1.61	3.33		
	34.5	96.28	0.80	1.39		1.61	1.93	35.5	96.23	96.23	1.15	1.58	1.61	1.85	3.4	RWE	35.5	95.87	1.23	1.43	1.47	1.47	2.72		
	36.5	96.03	1.05	0.96		1.12	2.05	36.5	96.15	96.15	1.23	1.33	1.36	2.09	3.4	RWE	36.5	96.07	1.03	0.88	0.93	0.93	1.67		
	38.0	96.23	0.85	0.82		0.96	1.43	38.0	96.31	96.31	1.07	1.10	1.13	2.11	3.4	RWE	38.0	96.24	0.86	0.75	0.79	0.79	1.19		
	41.5	96.78	0.30	0.02		0.03	0.01	40.0	96.60	96.60	0.78	0.71	0.73	1.00	2.3	RWE	40.0	96.55	0.55	0.37	0.43	0.43	0.42		
	42.5	96.88	0.20	-0.40		-0.50	-0.06	41.5	96.78	96.78	0.60	0.48	0.50	0.38	2.3	RWE	41.5	96.78	0.32	0.24	0.32	0.32	0.13		
LWE	42.7	97.08	0.00	0.00		0.00	0.00	42.5	96.88	96.88	0.50	0.10	0.10	0.03	2.3	RWE	42.5	96.98	0.12	0.10	0.12	0.10	0.01		
LWP	53.1							LWE	42.7	96.98	0.40	0.10	0.16	0.01	2.1	RWE	42.7	96.98							
								LWP	43.1	6.69	98.26				1.1	RWE	43.1	6.69	98.26						
									53.1	6.29	98.66				1.1	RWE	53.1	6.29	98.66						
									58.6	6.51	98.44				1.1	RWE	58.6	6.51	98.44						
									LUCB = 0.4*																
									* - estimated velocity																
									LUCB = 0.5																



Pool HGH TRANSECT 1
 IOC 1100000100001000101000
 QARD 60.0
 QARD 70.0
 QARD 80.0
 QARD 90.0
 QARD 100.0
 QARD 110.0
 QARD 115.0
 QARD 120.0
 QARD 125.0
 QARD 130.0
 QARD 132.7
 QARD 140.0
 QARD 145.0
 QARD 150.4
 QARD 155.0
 QARD 160.0
 QARD 165.0
 QARD 173.2
 QARD 180.0
 QARD 185.0
 QARD 190.0
 QARD 195.0
 QARD 200.0
 QARD 210.0
 QARD 220.0
 QARD 230.0
 QARD 240.0
 QARD 250.0
 QARD 260.0
 QARD 280.0
 XSEC 0.0 0.0 1.0 93.38 0.000520
 0.0 -4.0 98.9 1.0 98.8 3.5 98.3 5.7 97.4 6.2 97.3 7.0 93.4
 0.0 8.5 93.4 10.0 93.5 11.5 93.6 13.5 93.4 15.5 93.4 17.5 93.6
 0.0 19.5 94.1 21.5 94.5 23.5 94.8 25.5 95.1 27.5 95.3 29.5 95.3
 0.0 31.5 95.5 33.5 96.0 34.5 96.3 35.5 96.2 36.5 96.2 38.0 96.3
 0.0 40.0 96.6 41.5 96.8 42.5 96.9 42.7 97.0 43.1 98.3 53.1 98.7
 0.0 58.6 98.4
 NS 0.0 1.1 1.1 1.1 2.1 2.1 .1 3.2
 NS 0.0 .05 4.3 4.3 4.3 4.3 4.3 4.3
 NS 0.0 4.3 4.3 4.3 3.4 3.4 3.4
 NS 0.0 3.4 .029 3.1 3.1 3.4 3.4 3.4
 NS 0.0 2.3 2.3 .1 2.3 2.1 1.1 1.1
 NS 0.0 1.1
 WSL 0.0 96.27 96.45 96.58 96.70 96.81 96.92
 WSL 0.0 96.96 97.00 97.04 97.08 97.10 97.15
 WSL 0.0 97.18 97.22 97.25 97.28 97.32 97.38
 WSL 0.0 97.43 97.46 97.49 97.52 97.55 97.61
 WSL 0.0 97.67 97.73 97.78 97.84 97.89 97.99
 CAL1 0.0 97.38 173.2
 VEL1 0.0 0.00 0.00 0.45 1.40 1.70 1.69 2.07 2.36 2.26
 VEL1 0.0 2.36 2.44 2.41 2.24 2.12 2.06 2.12 1.37 1.68 1.61 1.36 1.13
 VEL1 0.0 0.73 0.50 0.10 0.16
 CAL2 0.0 97.08 150.4
 VEL2 0.0
 VEL2 0.0
 VEL2 0.0
 CAL3 0.0 97.10 132.7
 VEL3 0.0
 VEL3 0.0
 VEL3 0.0
 ENDJ

Pool	HGH										TRANSECT 2		
IOC	1100000100001000101000												
QARD	60.0												
QARD	70.0												
QARD	80.0												
QARD	90.0												
QARD	100.0												
QARD	110.0												
QARD	115.0												
QARD	120.0												
QARD	125.0												
QARD	130.0												
QARD	132.7												
QARD	140.0												
QARD	145.0												
QARD	150.4												
QARD	155.0												
QARD	160.0												
QARD	165.0												
QARD	173.2												
QARD	180.0												
QARD	185.0												
QARD	190.0												
QARD	195.0												
QARD	200.0												
QARD	210.0												
QARD	220.0												
QARD	230.0												
QARD	240.0												
QARD	250.0												
QARD	260.0												
QARD	280.0												
XSEC	0.0	0.0	1.0	93.38	0.000520								
	0.0	-4.0	99.1	1.0	99.3	4.2	99.2	4.8	97.4	5.0	97.1	6.5	96.1
	0.0	8.0	95.0	9.0	93.5	10.0	93.1	11.0	93.6	13.0	92.6	15.0	92.3
	0.0	17.0	92.1	19.0	92.1	21.0	92.9	23.0	93.3	25.0	94.1	27.0	93.7
	0.0	29.0	95.0	31.0	95.4	32.5	95.9	34.0	96.7	37.0	96.9	38.3	97.2
	0.0	38.7	97.4	39.0	97.4	41.8	97.9	46.1	98.4				
NS	0.0	1.1		1.1		1.1		2.1	.07	2.1	0.09	2.3	
NS	0.0	0.10	2.3	0.10	2.3	4.3		2.3		4.3		4.3	
NS	0.0		4.3		4.3	3.4		3.4		3.4		3.2	
NS	0.0		3.2		3.2	3.2		3.2		3.2		1.2	
NS	0.0	0.2	1.2		3.2	1.1		1.1					
WSL	0.0		96.29		96.47	96.60		96.72		96.83		96.95	
WSL	0.0		96.99		97.03	97.07		97.11		97.13		97.18	
WSL	0.0		97.21		97.25	97.28		97.31		97.35		97.41	
WSL	0.0		97.46		97.49	97.52		97.55		97.58		97.64	
WSL	0.0		97.70		97.76	97.81		97.87		97.92		98.03	
CAL1	0.0		97.39		173.2								
VEL1	0.0				0.00	0.16	0.32	0.42	0.64	0.99	1.56	2.28	2.40
VEL1	0.0	2.31	2.55	1.74	1.87	1.49	1.17	1.56	0.72	0.26	0.14	0.55	0.03
VEL1	0.0	0.00											
CAL2	0.0		97.10		150.4								
VEL2	0.0												
VEL2	0.0												
VEL2	0.0												
CAL3	0.0		97.11		132.7								
VEL3	0.0												
VEL3	0.0												
VEL3	0.0												
ENDJ													

Pool HGH TRANSECT 3
 IOC 1100000100001000101000
 QARD 60.0
 QARD 70.0
 QARD 80.0
 QARD 90.0
 QARD 100.0
 QARD 110.0
 QARD 115.0
 QARD 120.0
 QARD 125.0
 QARD 130.0
 QARD 132.7
 QARD 140.0
 QARD 145.0
 QARD 150.4
 QARD 155.0
 QARD 160.0
 QARD 165.0
 QARD 173.2
 QARD 180.0
 QARD 185.0
 QARD 190.0
 QARD 195.0
 QARD 200.0
 QARD 210.0
 QARD 220.0
 QARD 230.0
 QARD 240.0
 QARD 250.0
 QARD 260.0
 QARD 280.0
 XSEC 0.0 0.0 1.0 93.38 0.000520
 0.0 -4.0 97.2 1.0 98.6 7.0 97.5 8.1 94.1 8.3 94.1 9.0 94.1
 0.0 11.0 93.7 13.0 92.9 15.0 92.8 17.0 92.8 19.0 93.6 20.0 93.9
 0.0 22.0 94.8 24.0 95.2 26.0 95.5 28.0 96.0 30.0 96.3 32.0 96.5
 0.0 34.0 96.6 36.0 96.6 38.0 96.6 40.0 96.5 42.0 96.4 44.0 96.4
 0.0 46.0 96.4 48.0 96.4 50.0 96.3 52.0 96.3 54.0 96.3 56.0 96.3
 0.0 58.0 96.3 60.0 96.9 61.0 96.7 62.0 96.5 63.0 97.2 63.2 97.2
 0.0 63.6 97.4 64.1 98.2 69.0 98.6
 NS 0.0 1.1 1.1 1.1 4.3 4.3 4.3
 NS 0.0 4.3 5.3 5.3 5.3 3.4 3.4
 NS 0.0 .040 4.3 4.3 3.4 3.4 4.3 4.3
 NS 0.0 .013 4.3 .013 4.3 4.3 4.3 4.3
 NS 0.0 4.3 3.4 3.4 3.4 4.3 4.3
 NS 0.0 .035 4.3 3.9 3.4 4.3 2.3 2.3
 NS 0.0 2.3 1.1 1.1
 WSL 0.0 96.33 96.51 96.63 96.75 96.86 96.97
 WSL 0.0 97.01 97.05 97.09 97.13 97.15 97.20
 WSL 0.0 97.23 97.27 97.30 97.33 97.37 97.43
 WSL 0.0 97.48 97.51 97.54 97.58 97.61 97.67
 WSL 0.0 97.73 97.79 97.84 97.90 97.95 98.05
 CAL1 0.0 97.43 173.2
 VEL1 0.0 -0.09-0.32-0.38 0.37 1.08 2.26 2.35 1.95 1.87
 VEL1 0.0 1.62 1.85 1.88 1.99 2.21 2.23 2.40 2.37 2.21 2.31 2.35 2.41
 VEL1 0.0 2.52 2.41 2.31 2.14 1.99 1.86 0.71 0.95 1.61 1.65 0.00 0.01
 VEL1 0.0 0.01
 CAL2 0.0 97.15 150.4
 VEL2 0.0
 VEL2 0.0
 VEL2 0.0
 VEL2 0.0
 CAL3 0.0 97.14 132.7
 VEL3 0.0
 VEL3 0.0
 VEL3 0.0
 VEL3 0.0
 ENDJ

Stream: Wood River
 Site: WD-2
 Date: 5/14/2004
 Habitat: Riffle

Flow: Mid

(1) Level Loop Survey (BM & HP)

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	3.35	103.35		100.00
HP1			4.11	99.24
HP2			2.97	100.38
HP3			3.62	99.73
TP				
HP3	3.37	103.10		100.37
HP2			2.73	99.23
HP1			3.87	99.99
BM			3.11	99.99

Comment:

Date: 6/28/2004
 Habitat: Riffle

Flow: High

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	2.94	102.94		100.00
HP1			3.70	99.24
HP2			2.56	100.38
HP3			3.19	99.75
TP				
HP3	3.21	102.96		100.40
HP2			2.56	99.26
HP1			3.70	100.02
BM			2.94	100.02

Comment:

Date: 8/17/2004
 Habitat: Riffle

Flow: Low

(1) Level Loop Survey

BM/HP (ft)	BS (ft)	HI (ft)	FS (ft)	Elev (ft)
BM	3.51	103.51		100.00
HP1			4.27	99.24
HP2			3.13	100.38
HP3			3.78	99.73
TP				
HP3	4.12	103.85		100.38
HP2			3.47	99.23
HP1			4.62	100.00
BM			3.85	100.00

Comment:

(2) Water Surface Elevation (WSE) Survey

TR	Sta		HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
	L/R bank (ft)	Ave (ft)						
TR1-L	0	0.0	103.94	7.35	0.00	96.59	96.60	146.1
TR1-R	0	0.0	7.34	0.00	96.60	96.60	96.63	153.1
TR1-L	63	56.5	103.94	7.31	0.00	96.63	96.63	158.1
TR1-R	50	146.5	103.94	7.17	0.00	96.77	96.76	152.4
TR1-R	139	139	7.19	0.00	96.75	96.75	96.75	152.4

Note: 50' us of TR3: use FS=7.1, bed elev. FS=8.80
 WSE slope = 0.113%

(3) Meter and propeller ID for Velocity Correction

Meter ID: 0068
 Propeller ID: NA

(2) Water Surface Elevation (WSE) Survey

TR	Sta		HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
	L/R bank (ft)	Ave (ft)						
TR1-L	0	0.0	102.96	6.08	0.00	96.88	96.87	168.6
TR1-R	0	0.0	106.30	11.46	2.01	96.85	96.85	175.8
TR1-L	63	56.5	106.30	9.41	0.00	96.89	96.90	175.1
TR1-R	50	146.5	106.30	9.40	0.00	96.94	96.96	173.2
TR1-R	139	139	9.32	0.00	96.98	96.98	96.98	173.2

Note: WSE slope = 0.065%

(3) Meter and propeller ID for Velocity Correction

Meter ID: 3602
 Propeller ID: 3A
 Used Prop 2A on Riffle 6/28/04.
 No calibration exists for Prop 2A and meter 3602.

(2) Water Surface Elevation (WSE) Survey

TR	Sta		HI (ft)	FS (ft)	Rod (ft)	WSE (ft)	Ave WSE (ft)	Q (cfs)
	L/R bank (ft)	Ave (ft)						
TR1-L	0	0.0	103.85	7.23	0.00	96.62	96.63	133
TR1-R	0	0.0	7.21	0.00	96.64	96.64	96.66	139.8
TR1-L	63	56.5	103.85	7.19	0.00	96.66	96.65	137.6
TR1-R	50	146.5	103.85	7.06	0.00	96.79	96.77	136.7
TR1-R	139	139	7.11	0.00	96.74	96.74	96.74	136.7

Note: WSE slope = 0.092%


(3) Meter and propeller ID for Velocity Correction

Meter ID: 5750
 Propeller ID: 2a


14-May-04										28-Jun-04										17-Aug-04									
Sta	FS	Ground	Depth	Vel (ft/s)		q	substrate	Sta	FS	Ground	Depth	Vel (ft/s)		q	substrate	Sta	FS	Ground	Depth	Vel (ft/s)		q	substrate						
(ft)	(ft)	(ft)	(ft)	V _{0.206}	V _{0.8}	(cfs)		(ft)	(ft)	(ft)	(ft)	V _{0.306}	V _{0.8}	(cfs)		(ft)	(ft)	(ft)	(ft)	V _{0.206}	V _{0.8}	(cfs)							
RWP	1.0																												
RWE	8.9	96.60	0.00	0.00	0.00	0.00		-19.0	4.47	98.49		0.00	0.00	0.00	0.00	8.9	96.87	0.00	0.00	0.00	0.00	0.00	0.00	1.1					
RBE	9.3	95.05	1.55	0.66	0.78	0.67		-16.0	5.00	97.96		0.33	0.35	3.4	3.4	9.3	95.00	1.63	0.25	0.32	0.29	0.44	0.14	1.1					
	10.0	95.25	1.35	1.16	1.35	2.46		1.0	5.05	97.91		1.26	3.48	3.5	3.5	10.0	94.76	1.87	1.18	1.23	3.10	3.10	3.10	1.1					
	12.0	94.75	1.85	1.93	2.22	8.23		5.5	5.48	97.48		1.97	9.64	3.5	3.5	12.0	94.48	2.15	1.64	1.68	7.21	7.21	7.21	1.1					
5/14/2004	103.94	146.1						8.0	5.12	97.84		2.18	8.11	3.4	3.4	14.0	94.43	2.20	2.13	2.16	7.13	7.13	7.13	1.1					
6/28/2004	102.96	168.6						8.7	5.71	97.25		2.50	6.50	3.4	3.4	15.0	94.23	2.40	2.25	2.28	5.47	5.47	5.47	1.1					
8/17/2004	103.85	132.6						RWE	8.9	96.87	0.00	0.00	0.00	0.00	0.00	18.0	94.38	2.25	2.33	2.36	10.61	10.61	10.61	1.1					
								9.3	94.95	94.95	1.92	0.29	0.33	0.35	3.4	20.0	94.42	2.45	2.88	2.91	14.27	14.27	14.27	1.1					
								10.0	94.82	94.82	2.05	1.23	2.78	11.69	3.4	22.0	94.77	2.10	2.75	2.78	11.69	11.69	11.69	1.1					
								12.0	94.42	94.42	2.45	1.94	2.58	10.33	3.4	24.0	94.87	2.00	2.55	2.58	10.33	10.33	10.33	1.1					
								14.0	94.39	94.39	2.48	2.15	2.71	10.69	3.4	26.0	94.90	1.97	2.68	2.71	10.69	10.69	10.69	1.1					
								15.0	94.27	94.27	2.60	1.95	2.99	10.25	3.4	28.0	94.90	1.97	2.57	2.60	10.25	10.25	10.25	1.1					
								16.0	94.32	94.32	2.55	2.18	3.19	10.69	3.4	30.0	94.80	2.07	2.34	2.37	9.81	9.81	9.81	1.1					
								18.0	94.47	94.47	2.40	2.97	3.00	14.41	3.4	32.0	94.77	2.10	2.53	2.56	10.76	10.76	10.76	1.1					
								20.0	94.42	94.42	2.45	2.88	2.91	14.27	3.4	34.0	94.80	2.07	2.57	2.60	10.77	10.77	10.77	1.1					
								22.0	94.77	94.77	2.10	2.75	2.78	11.69	3.4	36.0	94.97	1.90	2.43	2.46	9.35	9.35	9.35	1.1					
								24.0	94.87	94.87	2.00	2.55	2.58	10.33	3.4	38.0	95.09	1.78	1.87	1.90	6.75	6.75	6.75	1.1					
								26.0	94.90	94.90	1.97	2.68	2.71	10.69	3.4	40.0	95.20	1.67	1.96	1.99	6.64	6.64	6.64	1.1					
								28.0	94.90	94.90	1.97	2.57	2.60	10.25	3.4	42.0	95.27	1.60	1.07	1.10	3.07	3.07	3.07	1.1					
								30.0	94.80	94.80	2.07	2.34	2.37	9.81	3.4	43.5	95.55	1.32	0.23	0.28	0.55	0.55	0.55	1.1					
								32.0	94.77	94.77	2.10	2.53	2.56	10.76	3.4	45.0	96.05	0.82	0.26	0.30	0.44	0.44	0.44	1.1					
								34.0	94.80	94.80	2.07	2.57	2.60	10.77	3.4	47.0	96.35	0.52	0.28	0.32	0.30	0.29	0.29	1.1					
								36.0	94.97	94.97	1.90	2.43	2.46	9.35	3.4	LWE	51.4	96.52	0.35	0.03	0.03	0.02	0.02	2.9					
								38.0	95.09	95.09	1.78	1.87	1.90	6.75	3.4	51.6	5.84	97.12	0.00	0.00	0.00	0.00	2.9	2.9					
								40.0	95.20	95.20	1.67	1.96	1.99	6.64	3.4	52.0	5.53	97.43						1.1					
								42.0	95.27	95.27	1.60	1.07	1.10	3.07	3.4	55.0	5.68	97.28						1.1					
								43.5	95.55	95.55	1.32	0.23	0.28	0.55	2.9	55.3	5.14	97.82						1.1					
								45.0	96.05	96.05	0.82	0.26	0.30	0.44	2.9	56.0	4.67	98.29						1.1					
								47.0	96.35	96.35	0.52	0.28	0.32	0.30	2.9	59.4	4.10	98.86						1.1					
								LWE	51.4	96.87	0.00	0.00	0.00	0.00	2.9									1.1					
								LWP	59.4	4.10	98.86													1.1					

RUCB = 0.3'

Used Prop 2A on Riffle 6/28/04. No calibration exists for Prop 2A and meter 3602.
 *- estimated velocity



Stream: Wood River			14-May-04				28-Jun-04				17-Aug-04									
Site:	WD-2		Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	V _{0.8} Ave	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	Vel (ft/s) V _{0.206}	V _{0.8} Ave	q (cfs)	substrate		
Habitat:	Riffle		RWP 1.0	11.6	95.21	1.42	1.03	1.20	1.19		-11.5	7.43	98.87							
			RBE	13.0	95.23	1.40	0.99	1.15	2.74		-7.5	8.40	97.90							
Survey	HI	Q	15.0	95.18	1.45	1.20	1.39	4.04			1.0	8.16	98.14							
Date	(ft)	(cfs)	17.0	94.73	1.90	2.58	2.97	11.27			2.0	8.61	97.69							
5/14/2004	103.94	153.1	19.0	94.73	1.90	2.93	3.37	12.80			5.3	8.59	97.71							
6/28/2004	106.30	175.8	21.0	94.68	1.95	2.98	3.43	13.37			8.0	8.27	98.06							
8/17/2004	103.85	139.8	23.0	94.73	1.90	2.80	3.22	12.24			9.7	8.27	98.03							
			25.0	94.88	1.75	2.64	3.04	10.63			11.3	9.14	97.16							
			27.0	95.03	1.60	2.55	2.93	9.38			11.6		95.23	1.67	1.35	1.38	1.73	3.4		
			29.0	95.08	1.55	2.38	2.74	8.48			13.0		95.25	1.65	1.34	1.37	3.84	5.4		
			31.0	95.13	1.50	2.54	2.92	8.76			15.0		95.15	1.75	1.73	1.76	6.15	3.5		
			33.0	95.18	1.45	2.01	2.31	6.71			17.0		94.73	2.17	2.67	2.70	11.73	3.4		
			35.0	95.28	1.35	2.3	2.65	7.14			19.0		94.75	2.15	2.89	2.92	12.57	3.4		
			37.0	95.38	1.25	2.63	3.02	7.56			21.0		94.73	2.17	2.51	2.54	11.03	3.4		
			39.0	94.98	1.65	1.16	1.35	4.45			23.0		94.75	2.15	2.86	2.89	12.44	4.3		
			41.0	94.98	1.65	1.93	2.22	7.34			25.0		94.90	2.00	2.88	2.91	11.65	4.3		
			43.0	95.53	1.10	2.41	2.77	6.10			27.0		95.05	1.85	2.84	2.87	10.63	4.3		
			45.0	95.68	0.95	2.20	2.53	4.81			29.0		95.18	1.72	2.78	2.81	9.67	4.3		
			47.0	95.86	0.77	2.31	2.66	4.09			31.0		95.20	1.70	2.74	2.77	9.43	4.3		
			49.0	96.08	0.55	2.33	2.68	2.95			33.0		95.20	1.70	2.77	2.80	9.53	4.3		
			51.0	96.23	0.40	2.09	2.40	1.59			35.0		95.30	1.60	2.80	2.83	9.06	4.3		
			52.3	96.23	0.40	1.78	2.05	1.03			37.0		95.42	1.48	2.38	2.41	7.14	4.3		
			53.5	95.58	1.05	0.71	0.84	1.19			39.0		95.25	1.65	2.37	2.40	7.92	4.3		
			55.0	95.68	0.95	0.21	0.29	0.48			41.0		95.08	1.82	2.33	2.36	8.59	4.3		
			57.0	95.33	1.30	0.24	0.32	0.84			43.0		95.62	1.28	2.64	2.67	6.84	4.3		
			59.0	95.73	0.90	0.45	0.55	0.99			45.0		95.75	1.15	2.51	2.54	5.85	4.3		
			61.0	96.03	0.60	0.40	0.50	0.45			47.0		95.85	1.05	2.46	2.49	5.23	4.3		
			62.0	95.98	0.65	0.48	0.58	0.49			49.0		96.02	0.88	2.37	2.40	4.23	4.3		
			LWE	63.6	96.63	0.00	0.00	0.00			51.0		96.27	0.63	2.28	2.31	2.40	4.3		
			LWP	74.3							52.3		96.25	0.65	1.99	2.02	1.64	4.3		
											53.5		95.70	1.20	1.42	1.45	2.35	4.5		
											55.0		95.65	1.25	0.28	0.32	0.70	4.3		
											57.0		95.45	1.45	0.08	0.14	0.42	3.4		
											59.0		95.78	1.12	0.74	0.76	1.71	4.3		
											61.0		95.95	0.95	0.48	0.50	0.71	2.3		
											62.0		96.02	0.88	0.54	0.56	0.64	2.3		
											63.6		96.70	0.20	0.00	0.01	0.00	2.3		
											64.0		96.75	0.15	0.00	0.01	0.00	2.3		
											LWE	64.1	96.90	0.00	0.00	0.00	0.00	1.1		
												64.5	8.76	97.54				1.1		
												68.0	8.66	97.64				1.1		
												69.7	8.55	97.75				1.1		
												70.4	7.94	98.36				1.1		
												73.1	7.69	98.61				1.1		
												LWP	74.3	7.26	99.04				1.1	




Used Prop 2A on Riffle 6/28/04. No calibration exists for Prop 2A and meter 3602.

RUCB = 0.94

RUCB = 0.8

Stream: Wood River		14-May-04										28-Jun-04										17-Aug-04									
Transsect	Date	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	V _{0.206} (ft/s)	V _{0.8} (ft/s)	Ave (ft/s)	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	V _{0.206} (ft/s)	V _{0.8} (ft/s)	Ave (ft/s)	q (cfs)	substrate	Sta (ft)	FS (ft)	Ground (ft)	Depth (ft)	V _{0.206} (ft/s)	V _{0.8} (ft/s)	Ave (ft/s)	q (cfs)	substrate			
		RWP 1.0	20.6	96.76	0.00	0.00	0.00	0.00	0.00	0.00	1.0	7.30	99.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.5	20.5	96.77	0.00	0.00	0.00	0.00	0.00	0.00		
		RWE	21.0	96.43	0.33	0.17	0.24	0.06	0.06	0.06	14.5	7.28	99.02	0.38	0.10	0.16	0.04	2.1	1.1	1.1	21.0	21.0	96.44	0.36	0.44	0.50	0.22	0.22	0.22		
			22.0	96.11	0.65	0.50	0.60	0.39	0.39	0.39	16.0	7.96	98.34	0.92	1.04	1.07	0.98	2.4	1.1	1.1	23.0	23.0	96.07	0.70	0.57	0.61	0.64	0.64	0.64		
			23.0	95.93	0.83	0.42	0.52	0.43	0.43	0.43	19.4	7.97	98.33	1.01	1.24	1.23	1.12	2.6	1.1	1.1	24.0	24.0	96.07	0.70	0.00	0.01	0.00	0.01	0.00		
			24.0	95.99	0.77	-0.12	-0.18	-0.14	-0.14	-0.14	20.0	8.94	97.36	1.01	1.20	1.23	1.12	2.6	1.1	1.1	25.0	25.0	95.87	0.80	0.95	1.00	0.90	1.00	0.90		
			25.0	96.04	0.72	0.99	1.15	0.83	0.83	0.83	RWE: 20.6	8.97	97.33	0.90	0.00	0.00	0.00	0.00	2.1	2.1	2.1	RWE: 20.5	20.5	96.77	0.00	0.00	0.00	0.00	0.00		
			26.0	95.86	0.90	0.31	0.40	0.53	0.53	0.53	21.0	96.58	98.00	0.38	0.10	0.16	0.04	2.1	1.1	1.1	28.0	28.0	95.52	1.25	1.64	1.68	4.72	4.72	4.72		
			28.0	95.51	1.25	1.76	2.03	5.71	5.71	5.71	22.0	96.04	98.00	0.92	1.04	1.07	0.98	2.4	1.1	1.1	30.5	30.5	95.39	1.38	1.93	1.96	6.76	6.76	6.76		
			30.5	95.41	1.35	2.29	2.63	8.89	8.89	8.89	23.0	95.95	98.00	1.01	1.24	1.23	1.12	2.6	1.1	1.1	33.0	33.0	95.37	1.40	2.53	2.56	8.95	8.95	8.95		
			33.0	95.46	1.30	2.52	2.90	9.42	9.42	9.42	24.0	95.95	98.00	1.01	1.24	1.23	1.12	2.6	1.1	1.1	35.5	35.5	95.29	1.48	2.55	2.58	9.53	9.53	9.53		
			35.5	95.36	1.40	2.73	3.14	10.99	10.99	10.99	25.0	96.05	98.00	1.02	1.05	1.08	1.65	2.6	1.1	1.1	38.0	38.0	95.32	1.45	2.81	2.83	10.32	10.32	10.32		
			38.0	95.31	1.45	2.8	3.22	11.67	11.67	11.67	26.0	95.94	98.00	1.02	1.05	1.08	1.65	2.6	1.1	1.1	40.5	40.5	95.37	1.40	2.93	2.95	10.32	10.32	10.32		
			40.5	95.31	1.45	2.8	3.22	11.67	11.67	11.67	28.0	95.56	1.40	1.74	1.77	5.56	5.3	3.0	3.0	3.0	43.0	43.0	95.37	1.40	2.71	2.73	9.57	9.57	9.57		
			43.0	95.31	1.45	2.69	3.09	11.21	11.21	11.21	30.5	95.41	1.55	2.49	2.52	9.77	4.3	3.0	3.0	3.0	45.5	45.5	95.37	1.40	2.57	2.56	7.67	7.67	7.67		
			45.5	95.41	1.35	2.53	2.91	9.82	9.82	9.82	33.0	95.36	1.60	2.95	2.98	11.93	3.4	3.0	3.0	3.0	48.0	48.0	95.37	1.40	2.53	2.56	8.95	8.95	8.95		
			48.0	95.51	1.25	2.44	2.81	8.77	8.77	8.77	35.5	95.41	1.55	2.74	2.77	10.74	3.4	3.0	3.0	3.0	50.5	50.5	95.62	1.15	2.47	2.50	7.18	7.18	7.18		
			50.5	95.46	1.30	2.16	2.48	8.07	8.07	8.07	38.0	95.41	1.55	2.99	3.02	11.71	4.5	3.0	3.0	3.0	53.0	53.0	95.59	1.18	2.02	2.05	6.05	6.05	6.05		
			53.0	95.41	1.35	1.85	2.13	7.20	7.20	7.20	40.5	95.41	1.55	2.99	2.91	11.29	4.3	3.0	3.0	3.0	55.5	55.5	95.72	1.05	2.21	2.24	5.88	5.88	5.88		
			55.5	95.76	1.00	2.15	2.47	6.18	6.18	6.18	43.0	95.81	1.15	3.04	3.07	8.83	4.5	3.0	3.0	3.0	58.0	58.0	95.57	1.20	1.86	1.89	5.67	5.67	5.67		
			60.5	95.26	1.50	1.81	2.22	7.23	7.23	7.23	45.5	95.30	1.66	2.83	2.78	9.81	4.5	3.0	3.0	3.0	60.5	60.5	95.22	1.55	1.78	1.81	7.02	7.02	7.02		
			63.0	95.01	1.75	1.83	2.11	9.23	9.23	9.23	50.5	95.66	1.30	2.68	2.71	8.81	4.3	3.0	3.0	3.0	63.0	63.0	95.05	1.72	1.93	1.96	8.43	8.43	8.43		
			65.5	95.16	1.60	1.80	2.08	8.31	8.31	8.31	53.0	95.56	1.40	2.45	2.57	7.72	4.3	3.0	3.0	3.0	65.5	65.5	95.17	1.60	1.48	1.52	6.09	6.09	6.09		
			68.0	95.31	1.45	1.79	2.07	6.74	6.74	6.74	55.5	95.76	1.20	2.54	2.57	7.72	4.3	3.0	3.0	3.0	68.0	68.0	95.37	1.40	1.65	1.69	5.32	5.32	5.32		
			70.0	95.66	1.10	1.83	2.11	4.64	4.64	4.64	58.0	95.56	1.40	2.43	2.46	8.61	4.3	3.0	3.0	3.0	70.0	70.0	95.57	1.20	1.55	1.59	3.82	3.82	3.82		
			72.0	95.84	0.92	1.23	1.43	2.63	2.63	2.63	60.5	95.26	1.70	1.95	1.98	8.41	4.3	3.0	3.0	3.0	72.0	72.0	95.97	0.80	1.15	1.20	1.92	1.92	1.92		
			74.0	96.21	0.55	0.58	0.69	0.61	0.61	0.61	63.0	95.01	1.95	1.97	2.00	9.74	4.3	3.0	3.0	3.0	74.0	74.0	96.07	0.70	0.97	1.02	1.14	1.14	1.14		
			LWE 75.2	96.41	0.35	0.10	0.16	0.03	0.03	0.03	65.5	95.16	1.80	1.85	1.88	8.45	4.3	3.0	3.0	3.0	LBE 75.2	75.2	96.37	0.40	0.10	0.23	0.05	0.05	0.05		
			LWP 90.5								LWE: 75.3	8.69	97.61	0.00	0.00	0.00	0.00	2.1	2.1	2.1	LBE	75.2	96.37	0.40	0.10	0.23	0.05	0.05	0.05		
											76.1	8.13	98.17	0.00	0.00	0.00	0.00	2.1	2.1	2.1	LUCB = 0.4'										
											79.0	7.82	98.48	0.00	0.00	0.00	0.00	2.1	2.1	2.1											
											86.0	7.58	98.72	0.00	0.00	0.00	0.00	2.1	2.1	2.1											
											LWP 90.5	7.03	99.27	0.00	0.00	0.00	0.00	2.1	2.1	2.1											
											101.5	6.25	100.05	0.00	0.00	0.00	0.00	2.1	2.1	2.1											
											107.5	4.54	101.76	0.00	0.00	0.00	0.00	2.1	2.1	2.1											

Used Prop 2A on Riffle 6/28/04. No calibration exists for Prop 2A and meter 3602.



LUCB = 0.5'

RIFFLE	HGH		TRANSECT 1							
IOC	1100000100001000101000									
QARD	60.0									
QARD	70.0									
QARD	80.0									
QARD	90.0									
QARD	100.0									
QARD	110.0									
QARD	115.0									
QARD	120.0									
QARD	125.0									
QARD	130.0									
QARD	132.7									
QARD	140.0									
QARD	145.0									
QARD	150.4									
QARD	155.0									
QARD	160.0									
QARD	165.0									
QARD	173.2									
QARD	180.0									
QARD	185.0									
QARD	190.0									
QARD	195.0									
QARD	200.0									
QARD	210.0									
QARD	220.0									
QARD	230.0									
QARD	240.0									
QARD	250.0									
QARD	260.0									
QARD	280.0									
XSEC	0.0	0.0	1.0	94.27	0.000650					
	0.0-19.0	98.5-16.0	98.0	1.0	97.9	5.5	97.5	8.0	97.8	8.7 97.2
	0.0	8.9 96.9	9.3 94.9	10.0	94.8	12.0	94.4	14.0	94.4	15.0 94.3
	0.0	16.0 94.3	18.0 94.5	20.0	94.4	22.0	94.8	24.0	94.9	26.0 94.9
	0.0	28.0 94.9	30.0 94.8	32.0	94.8	34.0	94.8	36.0	95.0	38.0 95.1
	0.0	40.0 95.2	42.0 95.3	43.5	95.6	45.0	96.1	47.0	96.3	48.6 96.5
	0.0	51.4 96.9	51.6 97.1	52.0	97.4	55.0	97.3	55.3	97.8	56.0 98.3
	0.0	59.4 98.9								
NS	0.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
NS	0.0	1.2	3.4	3.5	3.5	3.4	3.4	3.4	3.4	3.4
NS	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
NS	0.0	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
NS	0.0	4.3	.035 3.4	.06 2.9	.09 2.9	2.9	2.9	2.9	2.9	2.9
NS	0.0	2.9	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1
NS	0.0	1.1								
WSL	0.0	96.03	96.13	96.23	96.32	96.40	96.47			
WSL	0.0	96.51	96.54	96.58	96.61	96.63	96.67			
WSL	0.0	96.71	96.74	96.77	96.80	96.82	96.87			
WSL	0.0	96.91	96.93	96.95	96.98	97.00	97.04			
WSL	0.0	97.09	97.13	97.17	97.21	97.25	97.41			
CAL1	0.0	96.87	173.2							
VEL1	0.0				0.00	0.33	1.26	1.97	2.18	2.50
VEL1	0.0	2.72	3.00	2.91	2.78	2.58	2.71	2.60	2.37	2.56 2.60 2.46 1.90
VEL1	0.0	1.99	1.10	0.28	0.30	0.32	0.03	0.00		
VEL1	0.0									
CAL2	0.0	96.60	150.4							
VEL2	0.0									
VEL2	0.0									
VEL2	0.0									
VEL2	0.0									
CAL3	0.0	96.63	132.7							
VEL3	0.0									
VEL3	0.0									
VEL3	0.0									
VEL3	0.0									
ENDJ										

```

RIFFLE          HGH          TRANSECT 2
IOC      1100000100001000101000
QARD 60.0
QARD 70.0
QARD 80.0
QARD 90.0
QARD 100.0
QARD 110.0
QARD 115.0
QARD 120.0
QARD 125.0
QARD 130.0
QARD 132.7
QARD 140.0
QARD 145.0
QARD 150.4
QARD 155.0
QARD 160.0
QARD 165.0
QARD 173.2
QARD 180.0
QARD 185.0
QARD 190.0
QARD 195.0
QARD 200.0
QARD 210.0
QARD 220.0
QARD 230.0
QARD 240.0
QARD 250.0
QARD 260.0
QARD 280.0
XSEC  0.0      0.0 1.0      94.73  0.000650
      0.0-11.5 98.9 -7.5 97.9  1.0 98.1  2.0 97.7  5.3 97.7  8.0 98.1
      0.0  9.7 98.0 11.3 97.2 11.5 96.9 11.6 95.2 13.0 95.2 15.0 95.2
      0.0 17.0 94.7 19.0 94.7 21.0 94.7 23.0 94.7 25.0 94.9 27.0 95.1
      0.0 29.0 95.2 31.0 95.2 33.0 95.2 35.0 95.3 37.0 95.4 39.0 95.2
      0.0 41.0 95.1 43.0 95.6 45.0 95.7 47.0 95.8 49.0 96.0 51.0 96.3
      0.0 52.3 96.2 53.5 95.7 55.0 95.7 57.0 95.4 59.0 95.8 61.0 95.9
      0.0 62.0 96.0 63.6 96.7 64.0 96.7 64.1 96.9 64.5 97.5 68.0 97.6
      0.0 69.7 97.7 70.4 98.4 73.1 98.6 74.3 99.0
NS     0.0      1.1      1.1      1.1      1.1      1.1      1.1
NS     0.0      1.1      1.1      1.2      3.4      5.4      3.5
NS     0.0      3.4      3.4      3.4      4.3      4.3      4.3
NS     0.0      4.3      4.3      4.3      4.3      4.3      4.3
NS     0.0      4.3      4.3      4.3      4.3      4.3      4.3
NS     0.0      4.3      4.5      4.3      3.4      4.3      2.3
NS     0.0      2.3      2.3      2.3      1.1      1.1      1.1
NS     0.0      1.1      1.1      1.1      1.1
WSL   0.0      96.10  96.19  96.28  96.37  96.44  96.51
WSL   0.0      96.55  96.58  96.62  96.65  96.67  96.71
WSL   0.0      96.75  96.78  96.81  96.84  96.86  96.91
WSL   0.0      96.95  96.97  96.99  97.02  97.04  97.08
WSL   0.0      97.13  97.17  97.22  97.26  97.30  97.46
CAL1  0.0      96.90  173.2
VEL1  0.0
      0.00 1.38 1.37 1.76
VEL1  0.0  2.70 2.92 2.54 2.89 2.91 2.87 2.81 2.77 2.80 2.83 2.41 2.40
VEL1  0.0  2.36 2.67 2.54 2.49 2.40 2.31 2.02 1.45 0.32 0.14 0.76 0.50
VEL1  0.0  0.56 0.01 0.01 0.00
CAL2  0.0      96.63  150.4
VEL2  0.0
VEL2  0.0
VEL2  0.0
VEL2  0.0
CAL3  0.0      96.66  132.7
VEL3  0.0
VEL3  0.0
VEL3  0.0
VEL3  0.0
ENDJ

```

RIFFLE HGH TRANSECT 3
 IOC 1100000100001000101000
 QARD 60.0
 QARD 70.0
 QARD 80.0
 QARD 90.0
 QARD 100.0
 QARD 110.0
 QARD 115.0
 QARD 120.0
 QARD 125.0
 QARD 130.0
 QARD 132.7
 QARD 140.0
 QARD 145.0
 QARD 150.4
 QARD 155.0
 QARD 160.0
 QARD 165.0
 QARD 173.2
 QARD 180.0
 QARD 185.0
 QARD 190.0
 QARD 195.0
 QARD 200.0
 QARD 210.0
 QARD 220.0
 QARD 230.0
 QARD 240.0
 QARD 250.0
 QARD 260.0
 QARD 280.0
 XSEC 0.0 0.0 1.0 95.01 0.000650
 0.0 1.0 99.0 14.5 99.0 16.0 98.3 19.4 98.3 20.0 97.4 20.5 97.3
 0.0 20.6 97.0 21.0 96.6 22.0 96.0 23.0 95.9 24.0 95.9 25.0 96.1
 0.0 26.0 95.9 28.0 95.6 30.5 95.4 33.0 95.4 35.5 95.4 38.0 95.4
 0.0 40.5 95.4 43.0 95.8 45.5 95.3 48.0 95.6 50.5 95.7 53.0 95.6
 0.0 55.5 95.8 58.0 95.6 60.5 95.3 63.0 95.0 65.5 95.2 68.0 95.3
 0.0 70.0 95.6 72.0 96.0 74.0 96.0 75.2 96.4 75.3 97.6 76.1 98.2
 0.0 79.0 98.5 86.0 98.7 90.5 99.3101.5100.1107.5101.8
 NS 0.0 1.1 1.1 1.1 1.1 1.1 1.1 1.1
 NS 0.0 2.1 2.1 2.4 2.4 2.1 2.6
 NS 0.0 2.6 5.3 4.3 3.4 3.4 4.3
 NS 0.0 4.5 4.5 4.5 4.5 4.3 4.3
 NS 0.0 4.3 4.3 4.3 4.3 4.3 4.3
 NS 0.0 4.3 4.3 3.4 2.1 2.1 2.1
 NS 0.0 1.1 1.1 1.1 1.1 1.1 1.1
 WSL 0.0 96.29 96.35 96.43 96.49 96.56 96.62
 WSL 0.0 96.65 96.68 96.71 96.74 96.75 96.79
 WSL 0.0 96.83 96.85 96.88 96.91 96.93 96.98
 WSL 0.0 97.01 97.03 97.05 97.08 97.10 97.14
 WSL 0.0 97.19 97.23 97.27 97.31 97.35 97.50
 CAL1 0.0 96.96 173.2
 VEL1 0.0 0.00 0.16 1.07 0.29 0.06 1.23
 VEL1 0.0 1.08 1.77 2.52 2.98 2.77 2.91 3.02 3.07 2.86 2.78 2.71 2.48
 VEL1 0.0 2.57 2.46 1.98 2.00 1.88 2.13 2.34 1.60 1.04 0.01 0.00
 VEL1 0.0
 CAL2 0.0 96.76 150.4
 VEL2 0.0
 VEL2 0.0
 VEL2 0.0
 VEL2 0.0
 CAL3 0.0 96.77 132.7
 VEL3 0.0
 VEL3 0.0
 VEL3 0.0
 VEL3 0.0
 ENDJ